

INTRODUCING THE NEW
14EE
EQUIPMENT
TRAILER



Meet the new 14EE by Big Tex Trailers. This sleek and durable equipment trailer delivers heavy-duty performance, pure and simple, without the bells and whistles you don't want to pay for. But streamlined doesn't mean we cut corners; you can count on lasting Big Tex craftsmanship and top-quality components like Dexter Axles with EZ Lube Hubs, a Demco EZ Latch Coupler and Nev-R-Adjust Electric Brakes to get the job done right. If you're looking for a hardworking, well-built equipment trailer that won't break the bank, look no further than the 14EE.






BigTex
TRAILERS®


www.bigtex.us/14EE

14EE | EQUIPMENT TRAILER

BigTex TRAILERS®

www.bigtex.us/14EE

 GVWR: 14,000#
  EMPTY WEIGHT: 2,830# (20')
  LENGTH: 18', 20'
  BED WIDTH: 83" WIDE
  COUPLER: Adj. 2-5/16" Demco EZ Latch



MULTIPLE RAMP CONFIGURATIONS

Load and unload equipment with ease: The 14EE comes standard-equipped with Slide-In Ramps. Choose the optional Stand-Up Ramps to gain added convenience.



ADJUSTABLE DEMCO EZ LATCH COUPLER






The 14EE is equipped with an adjustable Demco EZ Latch coupler to make connecting to the tow vehicle easy and secure.



STRENGTH & VERSATILITY

From the 6" durable channel frame design to the heavy-duty diamond plate fenders, the 14EE is built to perform and built to last, even when challenged with your biggest hauls.

14EE | EQUIPMENT TRAILER

 GVWR: 14,000#
  EMPTY WEIGHT: 2,830# (20')
  LENGTH: 18', 20'
  BED WIDTH: 83" WIDE
  COUPLER: Adj. 2-5/16" Demco EZ Latch

BigTex TRAILERS

www.bigtex.us/14EE

SPECIFICATIONS

G.V.W.R.	14,000#
G.A.W.R. (Ea. Axle)	7,000#
COUPLER	Adjustable 2-5/16" 18,000# Demco EZ Latch
SAFETY CHAINS	3/8" Grd. 70 w/Safety Latch Hook (2 each)
JACK	8,000# Top Wind Drop Leg
TONGUE	6" Channel Fold Back/Wrap
TOP RAIL	3/16" Fabricated Front Stop Rail
FRAME	6" Channel
CROSSMEMBERS	3" Channel
UPRIGHTS	None
FENDERS	9" x 72" 14 Ga. Diamond Plate Double Square Broke w/Back (Removable)
AXLE	(2) 7,000# Axles w/EZ Lube Hubs & Elec. Brakes
SUSPENSION	Multi-Leaf Slipper Spring w/Equalizer
TIRE	ST235/80 R-16 Load Range E
WHEEL	16" x 6"; Black Mod, 8 Bolt
FLOOR	2" Treated Pine or Douglas Fir*
LIGHTS	L.E.D. D.O.T Stop, Tail, Turn & Clearance
ELEC. PLUG	7-Way RV

* Douglas Fir Available from Caldwell, ID Facility Only

OPTIONAL EQUIPMENT

Category	Code	Description
COUPLER	AP	Adjustable Pintle in Channel in Lieu of Coupler
TIRE/WHEEL	SP	Spare Tire (ST235/80 R-16 LR-E)
RAMPS	5FUR	5' Stand Up Ramps

WEIGHTS & CAPACITIES

Model	Weight*	Description
14EE-18	2,630#	83" x 18' 14K Tandem Axle Equipment Trailer
14EE-20	2,830#	83" x 20' 14K Tandem Axle Equipment Trailer

*Weights shown are for base models without options and are estimates only



DIMENSIONS

Bed Length	A	B	C
18'	217.5"	128.5"	89"
20'	240"	144"	96"

